# Form P (Patient Form)

Date\_\_\_\_/ \_\_\_\_ Subject ID \_\_\_\_\_\_

#### Pedi-IKDC Subjective Knee Evaluation Form

1.	If you were asked to do the activities below, what is the most you could do <u>today</u> without making your injured knee <b>hurt a lot</b> ?												
		[ ]	☐ Very had ☐ Hard acd ☐ Sort of I ☐ Light acd ☐ I can't d	ctivities lik hard activ ctivities lik	ce heavy vities like ce walking	lifting, ski walking fa g at a nor	ing or ten ast or jogg mal speed	nis ging d				oall or so	occer
2.	Durir	ng the	past 4 wee	eks, or sir	ice your i	njury, hov	v much of	f the time	did your	injured kr	nee hurt?		
Ne	ver	0	1	2	3	4	5	6	7	8	9	10	All of the time
3.	How	badly	does your	injured kı	nee hurt <u>t</u>	today?							
	not rt at all	0	1	2	3 <b></b>	4	5	6	7	8	9	10	Hurts so much I can't stand it
4.	Durir	ng the	past 4 wee	eks, or <u>sir</u>	ice your i	njury, hov	v hard ha	as it beer	n to move	or benc	<b>l</b> your inju	ıred kne	e?
		_	Not at a										
		_	A little has been depicted as a little has been depicted.										
		Į	☐ Very ha	ırd									
		[	Extreme	ely hard									
5.	Durir	ng the	past 4 wee	eks, or sin	nce your i	<u>njury</u> , hov	v puffy (c	or swolle	<b>n)</b> was yo	our injured	d knee?		
			Not at a										
			A little p  Somew	•									
			■ Somew ■ Very pu										
		Į	Extreme	ely puffy									

6.	If you were asked to do the activities below, what is the most you could do <u>today</u> without making your injured knee <b>puffy (or swollen)</b> ?									
	<ul> <li>□ Very hard activities like jumping or turning fast to change direction, like in basketball or soccer</li> <li>□ Hard activities like heavy lifting, skiing or tennis</li> <li>□ Sort of hard activities like walking fast or jogging</li> <li>□ Light activities like walking at a normal speed</li> </ul>									
	☐ I can't do any of the activities listed above because my injured knee is puffy even when I rest									
7.	During the past 4 weeks, or since your injury, did your injured knee ever get stuck in place (lock) so that you could not move it?									
8.	During the past 4 weeks, or since your injury, did your injured knee ever feel like it was getting stuck (catching), but you could still move it?									
9.	If you were asked to do the activities below, what is the most you could do today without your injured knee feeling like it can't hold you up?									
	<ul> <li>□ Very hard activities like jumping or turning fast to change direction, like in basketball or soccer</li> <li>□ Hard activities like heavy lifting, skiing or tennis</li> <li>□ Sort of hard activities like walking fast or jogging</li> <li>□ Light activities like walking at a normal speed</li> </ul>									
	I can't do any of the activities listed above because my injured knee feels like it can't hold me up									
SPO	RTS ACTIVITIES									
10.	What is the most you can do on your injured knee most of the time?									
	<ul> <li>□ Very hard activities like jumping or turning fast to change direction, like in basketball or soccer</li> <li>□ Hard activities like heavy lifting, skiing or tennis</li> <li>□ Sort of hard activities like walking fast or jogging</li> <li>□ Light activities like walking at a normal speed</li> <li>□ I can't do any of the activities listed above most of the time</li> </ul>									

							No, not at all	Ye a lit		Yes, somewhat		Yes, a lot	l can't do this
	a.	Go up s	stairs?						<b>_</b>				
	b.	Go dow	n stairs?	)					]				
ľ	c.	Kneel o	n your in	njured kne	e?				]				
Ī	d.	Squat d	lown like	a baseba	II catcher	?			]				
<b>,</b>	e.		chair wit on the fl	h your kne loor?	ees bent a	and			]				
	f.	Get up	from a cl	hair?					]				
	g.	Run?							]				
•	h.	Jump a	nd land o	on your in	jured kne	e?			]				
	i.	Start an	nd stop m	noving qui	ckly?				]				
no <sup>.</sup> anyth	t do ning				<b>-</b>				_				I could do anything I wanted to
13. I am able to anythi a	not o do	well doe	es your k	enee work 2	3	4	5	6	7	8	9	10	I am able to do anything I want to do
K	UJA	LA SCO	RE (For	each ques	stion, mar	k the c	choice which	correspo	onds to	your knee sy	mptom	s)	
•	1. Liı	mp											
_		ne ht or peri nstant	odical										
2	2. <b>S</b> u	pport											
_	Pair	support nful ght beari											

3.	Wal	king
		Unlimited More than 2 km 1-2 km Unable
4.	Stai	irs
		No difficulty Slight pain when descending Pain both when descending and ascending Unable
5.	Squ	atting
		No difficulty Repeated squatting painful Painful each time Possible with partial weight bearing Unable
6.	Rur	nning
		No difficulty Pain after more than 2 km Slight pain from start Severe pain Unable
7.	Jun	nping
		No difficulty Slight difficulty Constant pain Unable
8.	Pro	longed sitting with the knees flexed
	]	No difficulty Pain after exercise Constant pain Pain forces to extend knees temporarily Unable

9. Pain	
	None Slight and occasional Interferes with sleep Occasionally severe Constant and severe
10. Swe	elling
	None After severe exertion After daily activities Every evening Constant
11. <b>Ab</b> n	ormal painful kneecap (patellar) movements (subluxations)
	None Occasionally in sports activities Occasionally in daily activities At least one documented dislocation More than two dislocations
12. <b>A</b> tro	ophy of thigh
	None Slight Severe
13. Flex	kion deficiency
]	None Slight Severe

#### HSS Pedi-FABS

**Instructions:** Choose <u>one</u> answer for each activity or question. In the grid, please indicate how often you performed each activity in your healthiest and most active condition. IN THE PAST **MONTH:** 

	Less than one time per month	One time per month	One time per week	2-3 times per week	More than 4 times per week
Running: running while playing a sport or jogging.					
Cutting: quickly changing directions while running.					
<b>Decelerating:</b> coming to a quick stop while running.					
Pivoting: turning your body with your foot planted (for example: skiing, skating, kicking, throwing, hitting a ball)					
Duration: perform athletic activity for as long as you would like to without stopping.					
Endurance: perform athletic activity for one whole hour without stopping.					

Competition: Do you participate in organized competitive sports or physical activities?

No (or gym class only)
Yes, but WITHOUT an official or judge (such as club or pickup games)
Yes, WITH an official or judge
Yes, at a national or professional level

Supervision: Do you participate in supervised (coach, trainer, instructor) sports practice or activities (other than gym class)?

No
Yes, 1-2 times per week
Yes, 3-4 times per week
Yes, 5 or more times per week

# BANFF PATELLOFEMORAL INSTABILITY INSTRUMENT 2.0

A QUALITY OF LIFE SCORE FOR PATIENTS WITH PATELLOFEMORAL INSTABILITY

### **DIRECTIONS**

Please answer each question with respect to the current status, function, circumstances and beliefs surrounding your knee that has an unstable kneecap. Consider the last three months.

Indicate with a slash ( / ) on the line, the point ranging from 0 to 100 which most closely represents your situation.

For example, the following question:

If the slash is placed in the middle of the line, this indicates that the questionnaire is of average quality, or in other words, between the extremes of 'useless' and 'fantastic'. It is important to put your slash at either end of the line if the extreme descriptions accurately reflect your situation.

)EU	TION A: SYMPTOMS AND PHYSICAL COMPLAINTS	
1.	How troubled are you by "popping-out" or instability of your kneecap?	
	0 — Extremely troubled	Not troubled at al
2	How much pain or discomfort do you get in your knee with any kind of prolo activity (greater than half an hour)? For example: standing, walking, sports,	•
	0 ————————————————————————————————————	No pain at all
3.	How much pain or discomfort do you get in your knee with prolonged sitting than half an hour)? For example: movies, driving, etc.	ı (greater
	0 — Severe pain	100 No pain at all
4.	Do you have any loss of motion of your knee?	
	0 — Severe loss of motion	No loss of motion
5.	How weak does your knee feel?	

## SECTION B: Work and/or School Related Concerns

Extremely weak

\*\*If you are not working due to your knee, make a slash on the extreme left-hand side of the line for each.

6.	How much difficulty do you have because of your knee with turning or pivoting motions
	at work and/or school?

0	100
Severe difficulty	No difficulty at all

100

Not weak at all

7.	How much difficulty do you have with squatting at	work and/or school?
	O ————————————————————————————————————	No difficulty at all
8.	How much of a concern is it for you to miss time fro your knee problem?	m work and/or school because of
	0 Extreme concern	No concern at all
9.	Has the cost of your knee injury created financial h	
	0 ————————————————————————————————————	No financial hardship at all
SECT	ION C: RECREATION / SPORT / ACTIVITY	
10.	How concerned are you that your recreational and/knee worse?	or sport activities could make your
	0	100
	Extremely concerned	Not concerned at all
11.	Do you have to participate in recreational and/or sport activities because of your knee).	o participate in your recreational
	Always with caution	Never with caution
12.	How fearful are you of your knee "popping-out" who and/or sport activities?  (Make a slash at the extreme left i.e. 0, if you are unable and/or sport activities because of your knee).	
	0 <del>-</del>	100
	Extremely fearful	Not fearful at all

13.	How concerned are you with walking on uneven ground, a wet surface or vice?	valking on
	0 Extremely concerned	Not concerned at all
14.	Are you able to give your full effort in your recreational and/or sport activities (Make a slash at the extreme left i.e. 0, if you are unable to participate in your recreation and/or sport activities because of your knee).  0  Never able	
		,
СТ	ION D: Lifestyle	
15.	How concerned are you with general safety issues because of your knee pr For example: walking up or down stairs, driving, or carrying small children,	
	0 Extremely concerned	Not concerned at all
16.	How much has your ability to exercise and maintain fitness been limited by problem?	your knee
	OTotally limited	Not limited at all
17.	How much has your enjoyment of life been limited by your knee problem?	
	0 Totally limited	— 100 Not limited at all
18.	Do you avoid lifestyle activities with family and/or friends because of your kr problem?	nee
	0 Always avoid	100 Never avoid

19.	Do you have to plan out your lifestyle and social activities more the because of your knee problem?	an your family and/or friends
	O ————————————————————————————————————	100 Never have to plan
SECT	ION E: Social and Emotional	
20.	Are you frustrated that your recreational or competitive needs are because of your knee problem?  (Make a slash at the extreme right i.e. 100, if your competitive needs are slash at the extreme left i.e. 0 if you do not have any competitive needs)	being met. Make a
	0 Extremely frustrated	Not frustrated at all
21.	Have you had difficulty being able to emotionally cope with your k	knee problem?
	0 Extreme difficulty	No difficulty at all
22.	How often are you nervous about your knee?	
	0 ————————————————————————————————————	Never nervous
23.	How fearful are you of re-injuring your knee?	
	0 Extremely fearful	Not fearful at all

# **KOOS-12 KNEE SURVEY**

**INSTRUCTIONS:** This survey asks for your views about your knee. Answer every question by marking the appropriate box, only one box for each question. If you are unsure about how to answer a question, please give the best answer you can.

Pain								
1. Hov	v often do you Never	experience kn Monthly	ee pain? Weekly □	Daily	Always			
What a		e pain have yo	u experienced	I the <b>last weel</b>	during the following			
2. Wal	2. Walking on a flat surface							
	None	Mild □	Moderate	Severe	Extreme			
3. Goi	ng up or down	stairs						
	None	Mild	Moderate □	Severe	Extreme			
4. Sitti	ing or lying None □	Mild	Moderate	Severe	Extreme			
The formove	around and to	ons concern you	rself. For each	of the followin	we mean your ability to g activities please t week due to your			
5. Risi	ing from sitting None □	Mild	Moderate	Severe	Extreme			
6. Sta	nding None	Mild	Moderate	Severe	Extreme			
7. Get	ting in/out of a None □	car Mild	Moderate □	Severe	Extreme			
8. Twi	sting/pivoting o None	on your injured Mild	knee Moderate	Severe	Extreme			

Quality of Life 9. How often are you aware of your knee problem?							
	Never	Monthly	Weekly	Daily	Constantly		
10. Ha knee?	10. Have you modified your life style to avoid potentially damaging activities to your knee?						
	Not at all	Mildly	Moderately	Severely	Totally		
11. How much are you troubled with lack of confidence in your knee?							
	Not at all	Mildly	Moderately	Severely	Extremely		
12. In general, how much difficulty do you have with your knee?							
	None	Mild	Moderate	Severe	Extreme		

# **Pediatric Profile-25**

Please respond to each question or statement by marking one box per row.

Physical Function Mobility. In the past 7 days	With no trouble	With a little trouble	With some trouble	With a lot of trouble	Not able to do
I could do sports and exercise that other kids my age could do .					
I could get up from the floor.					
I could walk up stairs without holding on to anything.					
I have been physically able to do the activities I enjoy most.					

Anxiety In the past 7 days	Never	Almost Never	Sometimes	Often	Almost Always
I felt like something awful might happen.					
I felt nervous.					
I felt worried.					
I worried when I was at home.					
Depressive Symptoms In the past 7 days	Never	Almost Never	Sometimes	Often	Almost Always
I felt everything in my life went wrong.					
I felt lonely.					
I felt sad.					
It was hard for me to have fun.					
Fatigue In the past 7 days	Never	Almost Never	Sometimes	Often	Almost Always
Being tired made it hard for me to keep up with my schoolwork.					
I got tired easily.					

Thank you very much for completing all the questions in this questionnaire.